

IN THE SPECIFICATION

Please amend Tables 2 and 3 on pages 43 and 44, respectively, as follows:

Table 2

| Types | Ingredient names | Fragrance compositions | | | | | | |
|--------------------|--------------------------------------|------------------------|------|------|------|------|------|------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| A:MUSK | Musk ketone | 0 | 3 | 3 | 3 | 3 | 3 | 3 |
| A:MUSK | "Galaxolide" | 0 | 93 | 93 | 93 | 93 | 93 | 93 |
| B-i:ESTER | Cis-3-hexenyl salicylate | 0 | 0 | 15 | 0 | 0 | 15 | 15 |
| B-i:ESTER | Ethyl 2-methylbutyrate (DPG 10%) | 0 | 0 | 5 | 0 | 0 | 5 | 5 |
| B-i:ESTER | "FRUITATE" (ethyl | 0 | 0 | 5 | 0 | 0 | 5 | 5 |
| B-i:ESTER | tricyclodecanylcarboxylate) | 0 | 0 | 20 | 0 | 0 | 20 | 20 |
| B-i:ESTER | Tricyclodecenyl propionate | 0 | 0 | 5 | 0 | 0 | 5 | 5 |
| B-ii:ESTER | Methyl salicylate (DPG 10%) | 0 | 0 | 15 | 0 | 0 | 15 | 15 |
| B-[iii]] iv:KETONE | o-t-Butyl cyclohexylacetate | 0 | 0 | 0 | 0.5 | 0 | 0 | 0.5 |
| B-[iii]] iv:KETONE | "ADMASCENONE DAMASCENONE" | 0 | 0 | 0 | 1.5 | 0 | 0 | 1.5 |
| B-[iii]] iv:KETONE | "α-DAMASCONE" | 0 | 0 | 0 | 20 | 0 | 0 | 20 |
| B-[iii]] iv:KETONE | β-Ionone | 0 | 0 | 0 | 25 | 0 | 0 | 25 |
| C:terpene solvent | Methylionone-G | 0 | 0 | 0 | 0 | 25 | 25 | 25 |
| | Limonene | 350 | 244 | 191 | 207 | 229 | 164 | 117 |
| | Dipropylene glycol | 650 | 650 | 650 | 650 | 650 | 650 | 650 |
| | FORMULA* ^{note 1} | | | | | | | |
| | Total (parts by weight) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |

FORMULA*^{note 1} Fragrance formula formed primarily of alcohols and containing aldehydes, dipropylene glycol, etc.

Table 3

| Types | Ingredient names | Fragrance compositions | | | | | | |
|---------|---|------------------------|------|------|------|------|------|------|
| | | 8 | 9 | 10 | 11 | 12 | | |
| - | Hexyl acetate | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| - | Iso-amyl acetate | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| - | Indole (DPG 10%) | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| A | Musk ketone | 3 | 0 | 0 | 3 | 3 | 3 | 3 |
| A | "GALAXOLIDE" | 185 | 0 | 185 | 185 | 185 | 185 | 185 |
| B-i | "FRUITATE" | 0 | 0 | 0 | 0 | 5 | 5 | 5 |
| B-i | Tricyclodecanyl propionate | 0 | 0 | 0 | 0 | 20 | 20 | 20 |
| B-i | Methyl salicylate (DPG 10%) | 0 | 0 | 0 | 0 | 5 | 5 | 5 |
| B-i | Cis-3-hexenyl salicylate | 0 | 0 | 0 | 0 | 15 | 15 | 15 |
| B-i | Ethyl 2-methylbutyrate (DPG 10%) | 0 | 0 | 0 | 0 | 5 | 5 | 5 |
| B-ii | o-t-Butyl cyclohexylacetate | 0 | 0 | 0 | 0 | 20 | 20 | 20 |
| B-iii | G-Decanolactone | 0 | 0 | 0 | 0 | 0.5 | 0.5 | 0.5 |
| B-iv | "DAMASCENONE" | 0 | 0 | 0 | 0 | 1.5 | 1.5 | 1.5 |
| B-iv | " d -DAMASCONE δ -DAMASCONE" | 0.5 | 0 | 0 | 0 | 20 | 20 | 20 |
| B-iv | β -Ionon | 1.5 | 0 | 0 | 0 | 25 | 25 | 25 |
| B-v | Methylionon-G | 20 | 0 | 0 | 0 | 10 | 10 | 10 |
| B-v | α -Methyl-1,3-benzodioxol-5-propanal | 25 | 0 | 0 | 0 | 2 | 2 | 2 |
| B-v | Decanal (DPG 10%) | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| B-v | Dodecanal (DPG 10%) | 0 | 0 | 0 | 0 | 90 | 90 | 90 |
| B-v | Hexylcinnamic aldehyde | 0 | 0 | 0 | 0 | 15 | 15 | 15 |
| B-v | α -Methyl-4-(1-methylethyl)-benzenepropanal | 0 | 0 | 0 | 0 | 140 | 140 | 140 |
| B-v | p-t-Butyl- α -methylhydrocinnamic aldehyde | 0 | 0 | 0 | 0 | 25 | 25 | 25 |
| C | Limonene | 25 | 0 | 0 | 0 | 0 | 0 | 0 |
| D | p-Menthane-8-thiol-3-one (1% DPG) | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ether | Dodecahydro-3a,6,6,9a-tetramethyl-naphtho[2.1-b]furan | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Solvent | FORMULA* ^{note 2} | 340 | 340 | 340 | 340 | 340 | 340 | 340 |
| | Dipropylene glycol | 388 | 640 | 402 | 57 | 55.7 | 55.7 | 55.7 |
| | Total (parts by weight) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |

FORMULA*^{note 2} Fragrance formula formed primarily of alcohols and containing solvents such as dipropylene glycol, etc.

Please amend the paragraph beginning at page 46, line 1, as follows:

As shown in ~~FIG.~~ Table 4, the conditioning shampoos formulated by fragrancing the aliquots of the unfragranced conditioning shampoo of Table 1 with the fragrance compositions of Examples 1 to 8 according to the present invention were acknowledged to have clear advantages in changes with time and performance (masking performance) over the conditioning shampoos formulated by fragrancing the aliquots of the unfragranced conditioning shampoo of Table 1 with the fragrance compositions of Comparative Examples 1 to 4 from a comparison therebetween.